

REF: JPB/GRI/26(02)

DATE: 9 March 2026

TO: ALL OUR VALUED CUSTOMERS AND PORT USERS

**IMPLEMENTATION OF THE AUTOMATIC FUEL ADJUSTMENT (AFA) MECHANISM FOR REEFER CONTAINERS AT JOHOR PORT BERHAD**

---

Please be informed that Johor Port Berhad (JPB) shall implement the **Automatic Fuel Adjustment (AFA)** for reefer containers, as announced by the Johor Port Authority through **Port Notice No. 1/2026** with **Reference LPJ/IP/OPS/24JLD4(015)** dated 2 March 2026 as enclosed.

The AFA rate is regulated and officially declared by the Tenaga Nasional Berhad (TNB) on a monthly basis. In the event of any changes to the AFA rate, the surcharge at Pasir Gudang Port shall be adjusted proportionally in accordance with the change of the AFA rate.


The said implementation would take effect from 1 July 2025.

With this updated notice, our notice with reference number **JPB/KBA/JCT/141/2023-CNTR (01)** is revoked.

Thank you for your support and continued business.

Yours faithfully

**JOHOR PORT BERHAD**



**MD DERICK BASIR**

Chief Executive Officer



## LEMBAGA PELABUHAN JOHOR

JALAN MAWAR MERAH 2, PUSAT PERDAGANGAN PASIR GUDANG 2  
81700 PASIR GUDANG, JOHOR DARUL TA'ZIM



APP. NO. : 0047450

Rujukan / Reference : LPJ/IP/OPS/24JLD4(015)

Tarikh / Date : 2 Mac 2026 / 2 March 2026

### NOTIS PELABUHAN BIL 03/2026 PORT NOTICE NO 03/2026

**KEPADA :** OPERATOR PELABUHAN, EJEN PERKAPALAN, EJEN PENGHANTARAN,  
PENGHANTAR FRET, PERSATUAN-PERSATUAN DAN PENGGUNA-  
PENGGUNA PELABUHAN

**TO :** PORT OPERATORS, SHIPPING AGENTS, FORWARDING AGENTS,  
FREIGHT FORWARDERS, ASSOCIATIONS AND PORT USERS

**PERKARA :** NOTIS PELAKSANAAN MEKANISME AUTOMATIC FUEL ADJUSTMENT  
(AFA) MENGGANTIKAN IMBALANCE COST PASS-THROUGH (ICPT)  
OLEH TENAGA NASIONAL BERHAD DI PELABUHAN PASIR GUDANG  
DAN PELABUHAN TANJUNG PELEPAS

**SUBJECT :** NOTICE ON THE IMPLEMENTATION OF THE AUTOMATIC FUEL  
ADJUSTMENT (AFA) MECHANISM REPLACING THE IMBALANCE COST  
PASS-THROUGH (ICPT) BY TENAGA NASIONAL BERHAD AT PASIR  
GUDANG PORT AND PORT OF TANJUNG PELEPAS

- |   |  |
|---|--|
| 1. Rujukan kepada Notis Pelabuhan Bil.1/2026 bertarikh 1 Januari 2026.  | 1. Reference is made to Port Notice No. 1/2026 dated 1 January 2026.   |
| 2. Notis ini dikeluarkan bagi tujuan pemakluman maklumat tambahan berkaitan pelaksanaan mekanisme Automatic Fuel Adjustment (AFA) yang telah menggantikan mekanisme Imbalance Cost Pass-Through (ICPT) di Pelabuhan Pasir Gudang dan Pelabuhan Tanjung Pelepas. | 2. This Notice is issued for the purpose of providing additional information regarding the implementation of the Automatic Fuel Adjustment (AFA) mechanism, which has replaced the Imbalance Cost Pass-Through (ICPT) mechanism at Pasir Gudang Port and Tanjung Pelepas Port. |
| 3. Pengenaan surcaj yang diluluskan di bawah pelaksanaan mekanisme ini adalah terpakai untuk <b>Kontena Sejuk Beku</b> sahaja.  | 3. The surcharge approved under the implementation of this mechanism is applicable to <b>Reefer Containers</b> only.   |

IBU PEJABAT (PASIR GUDANG)

: 07-253 4000 (TEL.)  
07-251 7684 (FAKS)

LAMAN WEB

: <http://www.lpj.gov.my>  
e-mail: [admin@lpj.gov.my](mailto:admin@lpj.gov.my)


4. Maklumat lain berkaitan pelaksanaan surcaj ini adalah seperti yang dinyatakan di dalam Notis Pelabuhan Bil. 1/2026.

4. Other information related to the implementation of this surcharge is as stated in Port Notice No. 1/2026.

Terima kasih

Thank You

**"MALAYSIA MADANI"  
"PROFESIONALISME MEMANTAPKAN PERKHIDMATAN"**



**DR. SITI NORAISHAH AZIZAN  
PENGURUS BESAR  
LEMBAGA PELABUHAN JOHOR  
GENERAL MANAGER  
JOHOR PORT AUTHORITY  
[sitinoraishah@jpa.gov.my](mailto:sitinoraishah@jpa.gov.my)**

No Dokumen:

TABLE 1

AFA rate (RM/kwh)	Applicable Rate (RM) Per Reefer Container Per Shift	
	20'	40'
-0.12	0.50	1.00
-0.11	1.00	2.00
-0.10	1.50	2.50
-0.09	2.00	3.50
-0.08	2.00	4.00
-0.07	2.50	5.00
-0.06	3.00	6.00
-0.05	3.50	6.50
-0.04	4.00	7.50
-0.03	4.00	8.00
-0.02	4.50	9.00
-0.01	5.00	10.00
0.00	5.50	10.50
0.01	6.00	11.50
0.02	6.00	12.00
0.03	6.50	13.00
0.04	7.00	14.00
0.05	7.50	14.50
0.06	8.00	15.50
0.07	8.00	16.00
0.08	8.50	17.00
0.09	9.00	18.00
0.10	9.50	18.50
0.11	10.00	20.00
0.12	10.00	20.00
0.13	10.50	21.00
0.14	11.00	22.00
0.15	11.50	22.50
0.16	12.00	23.50
0.17	12.00	24.00
0.18	12.50	25.00
0.19	13.00	26.00
0.20	13.50	26.50
0.21	14.00	27.50
0.22	14.00	28.00
0.23	14.50	29.00
0.24	15.00	30.00
0.25	15.50	30.50
0.26	16.00	31.50
0.27	16.00	32.00